# Preliminary Amphibian and Reptile Survey of the Ashland District, Custer National Forest: 1995

## A Report to:

USDA Forest Service Custer National Forest 2602 1st Avenue North P.O. Box 2556 Billings, MT 59103

Submitted by

Paul Hendricks and James D. Reichel

May 1996

Montana Natural Heritage Program 1515 East Sixth Avenue P.O. Box 201800 Helena, MT 59620-1800

© 1996 Monta	ana Natural Heritage Program
This document should be cited as follows:	
Hendricks, P., and J. D. Reichel. 1996. Prelimina National Forest: 1995. Montana Natural Heritage	ary amphibian and reptile survey of the Ashland District, Custer e Program. Helena, MT. 79 pp.

ï

### **ABSTRACT**

A total of 32 surveys of ponds, reservoirs, springs, and rock outcrops, and 53 additional opportunistic sightings of reptiles and amphibians, were made in the Ashland District of the Custer National Forest during 19 field days between late May and late September, 1995. All surveys were performed by one individual. Each survey took 5-50 minutes (mean = 24 minutes). For aquatic sites, each survey consisted of a thorough search of the wetland perimeter and netting of near shore aquatic habitats for adults, eggs, larvae, and tadpoles. Stream (spring outflow) sampling was done by hand and dipnet. Seeps and springs were checked by rolling over rocks and logs in and near wet areas. Rock outcrops were traversed on foot, with periodic searches under rocks and downed debris (e.g., logs) for lizards and snakes. No pitfall traps were placed during this inventory. Opportunistic sightings were compiled from road kills, vocal identifications, and fortuitous encounters with live animals.

Five amphibian species (one salamander, two toads, two frogs) have been reported from the Ashland District area: Tiger Salamander (*Ambystoma tigrinum*), Great Plains Toad (*Bufo cognatus*), Woodhouseís Toad (*Bufo woodhousii*), Western Chorus Frog (*Pseudacris triseriata*), and Northern Leopard Frog (*Rana pipiens*). All but the Great Plains Toad were detected in 1995. The Tiger Salamander and Northern Chorus Frog were the most widespread amphibians throughout the District in 1995. Northern Leopard Frogs are nearly extirpated from western Montana, and anecdotal evidence indicates a decline elsewhere in the state, but the species remains relatively common in southeastern Montana. The Woodhouseís Toad was encountered at several sites on the District and also appeared to be relatively common in 1995. The status of the Great Plains Toad on the Ashland District remains questionable; only two records exist from the area, neither being on U.S. Forest Service lands.

Nine reptile species (three turtles, one lizard, five snakes) have been reported from on or near the Ashland District: Painted Turtle (*Chrysemys picta*), Snapping Turtle (*Chelydra serpentina*), Spiny Softshell (*Trionyx spiniferus*), Sagebrush Lizard (*Sceloporus graciosus*), Racer (*Coluber constrictor*), Gopher Snake (*Pituophis catenifer*), Western Terrestrial Garter Snake (*Thamnophis elegans*), Plains Garter Snake (*Thamnophis radix*), and Western Rattlesnake (*Crotalus viridis*). All but the Plains Garter Snake were detected during the 1995 survey. The Painted Turtle and Racer were the most widespread species on the District in 1995, being detected on more than 15 occasions each. The remaining species were each detected fewer than six times (usually only once or twice), but it is not yet possible to determine whether the few detections of these species are a result of actual relative scarcity or were artifacts of the sampling methodology. The following have been recorded in southeastern Montana and may eventually be found on Ashland District lands: Plains Spadefoot (*Scaphiopus bombifrons*), Bullfrog (*Rana catesbeiana*), Short-horned Lizard (*Phrynosoma douglasi*), Western Hognose Snake (*Heterodon nasicus*), Milk Snake (*Lampropeltis triangulum*), and Common Garter Snake (*Thamnophis sirtalis*).

# **TABLE OF CONTENTS**

ABSTRACT	
TABLE OF CONTENTS	iv
ACKNOWLEDGMENTS	vi
INTRODUCTION	1
METHODS AND MATERIALS	2
RESULTS AND DISCUSSION	4
Species known to be present on or near the Ashland District, Custer National Forest	6
Tiger Salamander (Ambystoma tigrinum)	6
Great Plains Toad (Bufo cognatus)	8
Woodhouseis Toad (Bufo woodhousii)	10
Western Chorus Frog ( <i>Pseudacris triseriata</i> )	
Northern Leopard Frog (Rana pipiens)	14
Painted Turtle (Chrysemys picta)	16
Snapping Turtle ( <i>Chelydra serpentina</i> )	
Spiny Softshell ( <i>Trionyx spineferus</i> )	
Sagebrush Lizard (Sceloporus graciosus)	
Racer (Coluber constrictor)	
Gopher Snake (Pituophis catenifer [=melanoleucus])	26
Western Terrestrial Garter Snake ( <i>Thamnophis elegans</i> )	28
Plains Garter Snake ( <i>Thamnophis radix</i> )	30
Western Rattlesnake (Crotalus viridis)	32
Species Potentially Present on the Ashland District, Custer National Forest	34
Plains Spadefoot (Scaphiopus [=Spea] bombifrons)	
Bullfrog (Rana catesbeiana)	
Short-horned Lizard ( <i>Phrynosoma douglasi</i> )	38
Western Hognose Snake (Heterodon nasicus)	
Milk Snake (Lampropeltis triangulum)	42
Common Garter Snake (Thamnophis sirtalis)	
RECOMMENDATIONS	45
Surveys and Research	
Management	
BIBLIOGRAPHY	47

Appendix 1. Data Sheets used for Reptiles and Amphibian Surveys and Observations	55
Appendix 2. Sites surveyed during 1995 amphibian and reptile surveys	60
Appendix 3. Amphibians and reptiles observed during surveys of the Ashland District of the Custer National Forest in 1995	63
Appendix 4. Amphibians and reptiles reported from in and around the Ashland District.	65

### ACKNOWLEDGMENTS

We thank Clint McCarthy for his help throughout the study. D. Dover, C. Jones, K. Jurist, and S. Thweatt assisted with element occurrence and map preparation. Financial support for the project came from the Custer National Forest (U.S. Forest Service, Northern Region) and the Montana Natural Heritage Program (Montana State Library, Natural Resources Information System and The Nature Conservancy).

Museum records were received from: American Museum of Natural History, Academy of Natural Sciences at Philadelphia, Brigham Young University, California Academy of Science, Carnegie Museum of Natural History, University of Puget Sound Museum, Field Museum of Natural History, Glacier National Park Museum, Illinois Natural History Survey, University of Kansas Museum of Natural History, Los Angeles County Museum, Louisiana State University Museum of Zoology, Museum of Comparative Zoology - Harvard, Milwaukee Public Museum, Montana State University Museum, Michigan State University Museum, North Carolina State Museum of Natural History, Northern Louisiana University Museum, University of Colorado Museum, University of Georgia Museum of Natural History, University of Idaho Museum, University of Michigan Museum of Zoology, University of South Dakota, United States National Museum of Natural History, University of Texas - Arlington, University of Texas - El Paso, and Peabody Museum - Yale. Most museum data were received with the help of Dr. Charles Peterson, Idaho State University, Pocatello.